

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): A fluorine-containing elastomeric terpolymer of 30 to 85 % by mole of ethylene unit, 14.9 to 45 % by mole of hexafluoropropylene unit and 0.1 to 25 % by mole of vinylidene fluoride unit (excluding a composition of 35 % by mole of ethylene unit, 40 % by mole of hexafluoropropylene unit and 25 % by mole of vinylidene fluoride unit).

2-4. (cancelled).

5. (previously presented): The fluorine-containing elastomeric terpolymer of Claim 1, wherein a proportion of vinylidene fluoride unit is from 5 to 25 % by mole.

6-7. (cancelled).

8. (original): The fluorine-containing elastomeric terpolymer of Claim 1, wherein the terpolymer contains more than 65 % by mole and 85 by mole or less of ethylene unit, 14.9 to 35 % by mole of hexafluoropropylene unit and 0.1 to 20 % by mole of vinylidene fluoride unit.

9. (previously presented): The fluorine-containing elastomeric terpolymer of Claim 1, wherein a number average molecular weight of the terpolymer is from 5,000 to 500,000 based on polystyrene.

10. (previously presented): A composition for vulcanization which comprises the fluorine-containing elastomeric terpolymer of Claim 1 and a vulcanizing agent.

11. (original): The composition of Claim 10 which contains a vulcanization accelerator.

12. (previously presented): The composition of Claim 10, wherein the vulcanizing agent is a polyol vulcanizing agent.

13. (previously presented): A vulcanized molded article produced by molding and vulcanizing the composition for vulcanization of Claim 10.

14. (original): The vulcanized molded article of Claim 13 which is used for parts for oil seal.

15. (currently amended): The A composition of Claim 10, wherein for vulcanization which comprises the fluorine-containing elastomeric terpolymer is the fluorine-containing elastomeric terpolymer of Claim 8 and a vulcanizing agent.

16. (previously presented): The composition of Claim 15, which contains a vulcanization accelerator.

17. (previously presented): The composition of Claim 15, wherein the vulcanizing agent is a polyol vulcanizing agent.

18. (previously presented): A vulcanized molded article produced by molding and vulcanizing the composition for vulcanization of Claim 15.

19. (previously presented): The vulcanized molded article of Claim 18, which is used for parts for oil seal.